



Double Section Wall Mount Cabinets (VW1)



Description

Vericom Double Section Wall Mount Cabinets VW1 is a perfect choice for the installation of both cabling and equipment, suitable for a wide range of applications including local area networking (LAN) cabling and hardware, and the housing of security, audio and visual equipment. Supports up to 30 kgs[65lbs] of networking equipment. It features a 90-degree swing-out hinge for easy access to cables and connections from back side.

Flat packaged for protection and ease of transport and storage with simple and quick assembly.

Product Specifications

Front door	Removable, Reversible Completely Tempered Glass Front Door, Opens Full 180°
Back Panel	Swings Out from Wall 90° With Knockout Panel
Side Panels	Full Height, Removable and Lockable
Top Panel	For Optional Fans (2) Knock-Out Cable Entry Holes
Bottom Panel	(2) Knock-Out Cable Entry Holes
Equipment Support	(4) 12 Gauge Mounting Rails 1.75" RU Spacing, Marked and Numbered on Rails 19" W, EIA-310-D Universal Hole Spacing Square Holes
Grounding	14 AWG Ground Wire Connects Doors and Side Panels to Cabinet Frame (Optional)
Finish	Black or White Powder Coated
Static Loading Capacity	30kgs/65lbs.
Included Accessories	M6×12 Steel Surface with the Blue and White Zinc (1) Paper Mounting Template (2) Keys
Compliance	ANSI/EIA RS-310D IEC60297-2 DIN41494: Part 1 DIN41494: Part 7



Double Section Wall Mount Cabinets (VW1)

Benefits

Security & Protection

- Locking doors prevent unauthorized access to equipment
- SPCC (1.2mm) rails provide a stable mounting structure
- Doors are grounded to the cabinet frame

Flexibility

- Multiple cable entry options provide greater flexibility during installation
- Doors and side panels are removable for convenient access to equipment

Multi-Use

- Available in multiple sizes to fit in a variety of environments where space is limited
- Adaptable for use in network, security and audio/video installations

Key Features

- Rear hinge allows main section to swing out 90° and disconnects from cabinet for easy mounting
- Lace points to reduce cable clutter
- Lockable tempered glass front door is removable and reversible
- Standing or wall mounting installation
- Allows for weight capacity of 30kgs[65lbs]

Main Part

S/N	Name	Quantity	Material	Surface
1	Side Frame	1	SPCC (1.0MM)	Powder Coated
2	Bottom Frame	1	SPCC (1.0MM)	
3	Top Frame	1	SPCC (1.0MM)	
4	Front Door	1	Tempered Glass Door, Glass 4mm SPCC (1.0mm)	
5	19" Rails	2	SPCC (1.5MM)	
6	Side Panel	2	SPCC (1.0MM)	



Double Section Wall Mount Cabinets (VW1)


Standard Accessories

Items	Description
Torx Tooling	Steel & Color Zinc
Screw & Nuts (10 Sets)	M6×12 Steel Surface with the Blue and White Zinc


Optional Accessories

Accessories	Description
Fans	1/2 Fan Unit
PDU	UK Type, German Type, US Type

Technical Illustration




Technical Drawing





Double Section Wall Mount Cabinets (VW1)

Item Number Configuration



Ordering Information

Part No.	RU	Height mm[inch]	Width mm[inch]	Depth mm[inch]
VW1-406 ■	6	370[14.57]	540[21.26]	450[17.71]
VW1-606 ■				600[23.62]
VW1-409 ■	9	500[19.69]		450[17.71]
VW1-609 ■				600[23.62]
VW1-412 ■	12	635[25.00]		450[17.71]
VW1-612 ■				600[23.62]
VW1-415 ■	15	768[30.24]		450[17.71]
VW1-615 ■				600[23.62]

Note: Size and capacity can be customized.