



Category 6A Keystone Jack, Shielded

Description

Keystone jack is applied to data network communication, telecommunication room and work area with patch panel or desk box.

Features & Benefits

- Meet and exceed Category 6A component and channel performance
- Fast and toolless termination
- 360° fully shielded design to effectively prevent EMI
- Outstanding electrical performance
- Reliable grounding


Compliance & Standards

- ANSI/TIA/EIA-568.2-D Category
- ISO/IEC 11801 Class Ea

Physical Performance

IDC	Phosphor Bronze
RJ45 Pin	Phosphor Bronze With 50u" Gold Plating
Plug Insertion	≥1000 times
IDC Insertion Life Span	≥250 times
AWG	22~26 AWG
Termination Wiring	T568A/T568B
Termination Conductor	Solid Conductor or Stranded Conductor
Operation Temperature	-10°C to + 60°C

Drawing





Category 6A Keystone Jack, Shielded

Electrical Performance

Dielectric Strength	DC1000V(AC 750V), 1min, No Breakdown and Arcing Phenomena
DC Resistance	$\leq 300\text{m}\Omega$
Connecting Resistance	$\leq 20\text{m}\Omega$
Insulation Resistance	Under Normal Atmospheric Pressure $\geq 500\text{M}\Omega$
Rated Current	0.75 Amp

Ordering Information

Part No.	Product Name	Description
KJ6804	Category 6A Shielded Keystone Jack	Sliver