



VPB13A5-12B/4Z


Description

VPB series PDU is the device power access solution provided by VERICOM and used to power IT equipment. VPB13A5-12B/4Z features UK plug input 13A250VAC, 12 Port UK outlets protected by a switch. It is horizontal installation and black.

Features & Benefits

- Convenient Installation
 Rotating fixed bracket, suitable for horizontal, vertical and other installation angles
- Thicker Cable
 Less resistance, stable current, stable conduction, safe use of electricity
- Comprehensive Protection The main switch is equipped with a protective dust cover that prevents accidental shutoffs
- Sturdy and Durable Made from high ductile strength material that resists damage
- Grounding Design Reasonable grounding design prevents accidental electric shock

Installation Dimensions



TECHNICAL SHEETS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

REV.20210220.1





VPB13A5-12B/4Z

Product Specifications

Electrical	
Input Voltage	250VAC
Input Current	13A
Input Frequency	50/60 Hz
Input Plug	13А UK Туре
Output Voltage	250VAC
Output Current	13A
Maximum Output Current	13A
Output Receptacles	(12) UK Туре
Physical	
Dimensions	738.8x45x45 mm
Installation	19 Inch
Weight	1200 g
Shipping Dimensions	760x94x56 mm
Shipping Weight	1400 g
Color	Black
Power Cord Length	2.0 m (Factory Standard)
Environmental	
Maximum Elevation	
Above MSL (Operating/Storage)	0 to 3,000 m/ 0 to 15,000m
Humidity (Operating/Storage)	5 - 95%RH/ 5-95, Non-condensing
Temperature (Operating/Storage)	0 - 45℃/ -20 to 70℃
Certifications	
Certifications	LVD.EMC

Notes:

*The above drawings are for reference only, subject to the material object.

TECHNICAL SHEETS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

REV.20210220.1